



Close-coupled trio of panels 3320mm





Beyond 3 panels wide, add 1030mm for each additional panel to get the overall measurement to the outer flashing edges


Example for 5 Panel Row:


3320 + 1030 + 1030 = 5380mm











Height for 2 Rows of Fusion - 3882mm Height for Single Row of Fusion - 2191mm


LXUITIPIE. FOF J KOWS


5573 + 1691 + 1691 = 8955mm.

	Disclaimer: This drawing and the ir within it are the p Concepts Ltd. and n reproduced withou permission.	property of Viridian hay not be used or
	0	
	Notes:	
2042 2191		
-		
<u> </u>		
·	viridian	Viridian Solar Atlas Building, 68 Stirling Way, Papworth,
	solar	Cambs. CB23 3GY T 01480 831501 F 01480 831831 www.viridiansolar.co.uk


Clearline Fusion - PV16-G1			
Portrait Integrated Pitched Roof			
Flashing Detail			
AWN	CHECKED		

drawn	CHECKED	
DRAWING NUMBER	sheet 2 of 6	
DATE 11.11.20	SCALE	





	within it are the Concepts Ltd. and r	nformation contained property of Viridian may not be used or ut their express
	0	
upport batten	Notes:	
bracket		
""		
9		
	viridian	Viridian Solar Atlas Building, 68 Stirling Way, Papworth, Cambs. CB23 3GY T 01480 831501 F 01480 831831 www.viridiansolar.co.uk
- Panel rafter bracket	Clearline Fus Portrait - Integ Roof Fixing D	rated Pitched
	AHS	KTT
ail	DRAWING NUMBER 10 013 DATE	SCALE
	11.11.20	



TI M C	Disclaimer: his drawing and the i vithin it are the Concepts Ltd. and r eproduced witho vermission.	propert may nc	y of Viridian It be used or		
0					
Fi tł fu	lotes: inal setting out should he roofer to ensure th ully supported to give vatertight finish.	at the s	ill flashing is		
	viridian	T 01480 F 01480	uilding, ng Way, Papworth, . CB23 3GY 831501		
	Clearline Fusion PV16-G1 Portrait - Integrated Pitched Roof Fixing Details - Plain Tile				
DRA	AHS	CHECKED	KTT		
	WING NUMBER 10 013		5 of 6		
DATI	11.11.20	SCALE			

